## In the Claims:

13:22

Please amend claim 1 as follows:

1. (Currently Amended) A method for screening for chemically modified mutant enzymes for amidase and/or esterase activity comprising:

modifying an enzyme, by changing an amino acid residue to a cysteine, thereby creating a chemically modified mutant enzyme with one or more amino acid residues from an enzyme being replaced by cysteine residues, wherein at least some of the cysteine residues are modified by replacing the thiol hydrogen in the cysteine residues with a thiol side chain;

contacting the chemically modified mutant enzyme with a substrate for amidase and/or a substrate for esterase; and

determining whether the chemically modified mutant enzyme exhibits amidase and/or esterase activity.

- (Original) A method according to claim 1, wherein the chemically modified mutant enzyme is screened for amidase activity.
- 3. (Original) A method according to claim 1, wherein the chemically modified mutant enzyme is screened for esterase activity.
  - (Previously Amended) A method according to claim 1, wherein said modifying further comprises:

providing methanthiosulfonate reagents; and

combining the chemically modified mutant enzyme, the methanethiosulfonate reagents, and a buffer solution, wherein the cysteine residues are modified by replacing thiol hydrogen in the cysteine residue with a thiol side chain to form the chemically modified mutant enzyme.

(Previously Amended) A method according to claim 1 further comprising:
modifying a plurality of enzymes thereby creating a plurality of chemically

13:22

modified mutant enzymes with one or more amino acid residues from enzymes being replaced by cysteine residues, wherein the cysteine residues are modified by replacing the thiol hydrogen in at least some of the cysteine residues with a thiol side chain;

contacting the plurality of chemically modified mutant enzymes with a substrate for an amidase and/or a substrate for an esterase; and

determining whether the plurality of chemically modified mutant enzymes exhibit amidase and/or esterase activity.

- 6. (Original) A method according to claim 1, wherein the ratio of chemically modified mutant enzyme to substrate is from about 1 M:10 M to about 1 M:10<sup>8</sup> M.
- 7. (Original) A method according to claim 1, wherein the ratio of chemically modified mutant enzyme to substrate is from about 1 M:10 M to about 1 M:10 M.
  - 8. (Original) A method according to claim 1, wherein the enzyme is a protease.
- 9. (Original) A method according to claim 8, wherein the protease is a *Bacillus lentus* subtilisin.
- 10. (Previously Amended)A method according to claim 1, wherein an asparagines, a leucine, and/or a serine is chosen to be the amino acid replaced with a cysteine.
- 11. (Original) A method according to claim 1, wherein the amino acid replaced with a cysteine is in a subsite of the enzyme.
- 12. (Original) A method according to claim 11, wherein the subsite is selected from the group consisting of  $S_1$ ,  $S_1$ , and  $S_2$ .
- 13. (Original) A method according to claim 1, wherein the thiol side chain is selected from the group consisting of  $-SCH_2C_6H_5$ ,  $-SCH_2(p-CH_3-C_6H_4)$ ,  $-SCH_2(p-OCH_3-C_6H_4)$ ,  $-SCH_2(p-COOH-C_6H_4)$ ,  $-SCH_2C_6F_5$ ,  $-SCH_2(p-CF_3-C_6H_4)$ , and  $-SCH_2(2,4-diNO_2-C_6H_3)$ .
  - 14. (Withdrawn) A chemically modified mutant enzyme with one or more amino

GC525-2-D1 resp 5.26.04

U.S.S.N. 09/938,801 Page 4

acid resides from an enzyme being replaced by cysteine resides, wherein at least some of the cysteine residues are modified by replacing thiol hydrogen in the cysteine residue with a thiol side chain, wherein the thiol side chain is selected from thw group consisting of  $-SCH_2(p-CH_3-C_6H_4)$ ,  $-SCH_2(p-CCH_3-C_6H_4)$ ,  $-SCH_2(p-CF_3-C_6H_4)$ , and  $-SCH_2(2,4-diNO_2-C_6H_3)$ .

- 15. (Withdrawn) A chemically modified mutant enzyme according to claim 14, wherein the enzyme is a protease.
- 16. (Withdrawn) A chemically modified mutant enzyme according to claim 15, wherein the protease is a *Bacillus lentus* subtilisin.
- 17. (Withdrawn) A chemically modified mutant enzyme according to claim 14, wherein the amino acid replaced with a cysteine is an amino acid selected from the group consisting of asparagines, leucine, and serine.
- 18 (Withdrawn) A chemically modified mutant enzyme according to claim 14, wherein the amino acid replaced with a cysteine is in a subsite of the enzyme.
- 19. (Withdrawn) A chemically modified mutant enzyme according to claim 18, wherein the subsite is selected from the group consisting of  $S_1$ ,  $S_1$ , and  $S_2$ .
- 20. (Withdrawn) A chemically modified mutant enzyme according to claim 14, wherein the thiol side chain is  $SCH_2(p-CH_3-C_6H_4)$ .
- 21. (Withdrawn) A chemically modified mutant enzyme according to claim 14, wherein the thiol side chain is  $SCH_2(p-OCH_3-C_6H_4)$ .
- 22. (Withdrawn) A chemically modified mutant enzyme according to claim 14, wherein the thiol side chain is  $-SCH_2(p-CF_3-C_6H_4)$ .
- 23. (Withdrawn) A chemically modified mutant enzyme according to clazim 14, wherein the thiol side chain is  $-SCH_2(2,4-dINO_2-C_6H_3)$ .
  - 24. (Withdrawn) A method of producing a chemically modified mutant enzyme

U.S.S.N. 09/938,801 Page 5

comprising:

providing an enzyme wherein one or more amino acids have been replaced with cysteine residues and

replacing thiol hydrogen in at least some of the cysteine residues with a thiol side chain to form the chemically modified mutant enzyme, wherein the thiol side chain is selected from the group consisting of  $-SCH_2(p-CH_3-C_8H_4)$ ,  $-SCH_2(p-OCH_3-C_8H_4)$ , and  $-SCH_2(2,4-diNO_2-C_6H_3)$ .

- 25. (Withdrawn) A method according to claim 24, wherein the enzyme is a protease.
- 26. (Withdrawn) A method according to claim 25, wherein the protease is a *Bacillus lentus* subtilisin.
- 27. (Withdrawn) A method according to claim 24, wherein the amino acid replaced with a cysteine is an amino acid selected from the group consisting of asparagines, leucine, and serine.
- 28. (Withdrawn) A method according to claim 24, wherein the amino acid replaced with a cysteine is in a subsite of the enzyme.
- 29. (Withdrawn) A method according to claim 28, wherein the subsite is selected from the group consisting of  $S_1$ ,  $S_1$ , and  $S_2$ .
- 30. (Withdrawn) A method according to claim 24, wherein the thiol side chain is  $-SCH_2(p-CH_3-C_0H_4)$ .
- 31. (Withdrawn) A method according to claim 24, wherein the thiol side chain is -SCH<sub>2</sub>(*p*-CH<sub>3</sub>-C<sub>6</sub>H<sub>4</sub>).
- 32. (Withdrawn) A method according to claim 24, wherein the thiol side chain is -SCH<sub>2</sub>(p-CH<sub>3</sub>-C<sub>6</sub>H<sub>4</sub>).
  - 33. (Withdrawn) A method according to claim 24, wherein the thiol side chain is

GC525-2-D1 resp 5.26.04

U.S.S.N. 09/938,801 Page 6

-SCH<sub>2</sub>(2,4-diNO<sub>2</sub>-C<sub>6</sub>H<sub>3</sub>).

- 34. (Withdrawn) A detergent additive comprising the chemically modified mutant enzyme of claim 14.
- 35. (Withdrawn) A feed additive comprising the chemically modified mutant enzyme of claim 14.
  - 36. (Withdrawn) A method of treating a textile comprising:

providing a chemically modified mutant enzyme according to claim 14 and contacting the chemically modified mutant enzyme with a textile under conditions effective to produce a textile resistant to enzyme-sensitive stains.